

Bolivia

7–27 September 2009

Participants

Gary and Marlene Babic

Dudley and Mary Baines

Nicholas Baker

Robert Sims

Peter and Dorothy Webster

Leader: Willy Pérez



Hooded Mountain-toucan

Day 1: I met the whole group at the Viru Viru Airport in Santa Cruz at 09:40, later than they were expected because of technical troubles before leaving from Miami. Upon arrival we decided to start birding from the airport and soon after we saw a big group of Greater Rheas and many Burrowing Owls. A bad rainstorm started just a couple of hours after we started birding so we decided to head to the hotel. Before we got out of the airport, Pedro, our driver, spotted a Red-winged Tinamou that most of the group managed to see it before it disappeared into the grass. We made in to the hotel around 11:30 and had a fantastic lunch at the Casarao Restaurant. After lunch we took the journey to the Rio Pirai and had good views of Limpkin, Cocoi Heron and a group of Squirrel Monkeys. We went back to the airport to try for the tinamous and were lucky with two of them giving us excellent views. However, the highlights of the afternoon were the two Red-legged Seriemas that crossed the road very close to us and the gorgeous views of Chotoy Spinetail. Fork-tailed Flycatchers were common but it was very rewarding to see them so well. Dinner was at Casa del Camba, a traditional local restaurant.

Day 2: We started very early in the morning and headed to the Jardin Botanico, arriving at 06:30. Near the car park we had stunning views of a feeding Blue-crowned Trogon. Many Chestnut-eared Aracarís were also around and we had great views of Golden-green Woodpecker. We managed to see some of the forest-skulkers too: Bolivian Slaty-antshrike was followed by Fawn-breasted Wren, and Olivaceous and Straight-billed Woodcreepers. Here we also saw some of the first mammals of our trip including Tree-toed Sloth and a group of rare White Sagui (*Callithrix argentata*). At noon we headed back to Santa Cruz to have a quick lunch before stating our drive to Los Volcanes. As we reached the entrance road to the lodge heavy rain started and we did not see much along the way. The drive up was quite unnerving for the road was very muddy but we manage to get to our destination safely. After leaving the bus we had to take turns to ride a little jeep for the last 3km of the journey, arriving just before 18:00.

Day 3: We spent the whole day in Los Volcanes and from the gardens we had the first fantastic views of the Andean Condors followed by 26 Military Macaws, Blue-fronted Parrot, Plush-crested Jay and Green-cheeked Parakeet. At around 07:30 we walked a trail close to the lodge and although the birding was slow, we had good views of Andean Slaty-thrush, Saffron-crowned and Black-goggled Tanagers. A Bolivian Tapaculo came very close but unfortunately only two people saw it. We went back to the lodge and walked the main road. Here some people managed to see Chestnut-tipped Toucanet followed by several species of hummingbirds, Yellow-olive Flatbill, Green-backed Becard and Andean Tyrant. After lunch we went back to the same trail than in the morning with little luck. On the way back, we saw Plain Antvireo and some woodcreepers. Once again at the garden, the activity improved and we saw Rusty Flowerpiercer and Streak-throated Bush-tyrant. The forest in general was a bit quiet, caused by the very cold weather prevailing in the region. These harsh weather patterns coming from the south are called “Surazos” and are definitely bad for bird activity and for the birders too!!

Day 4: Today we had a very early start. We went back inside the forest on a trail to try for some of the forest specialties but they were just not active because of the weather conditions. We went back to the lodge, packed and made our move to the next destination called El Tambo. Our driver, Leo, was already waiting for us and we started the drive on time. We had lunch in the small town of Samaipata where we saw some new trip birds: White-bellied Hummingbird and Glittering-bellied Emerald followed by White-vented Violet-ear. Our next stop had us birding near the small village of Los Negros just one hour from Samaipata. Here we saw Greater Wagtail-tyrant, Streak-fronted Thornbird, Masked Gnatcatcher and Striped-crowned Spinetail. We walked down a road where a big flock of Red-fronted Macaws flew overhead. We followed them and found them eating corn in a field. What great views of superb bird! Also here three Pale legged Guans were spotted by one of the group members. We arrived to El Tambo quite late in the afternoon and stayed in Monte Blanco.

Day 5: After an early breakfast we headed to Saipina to look for another sought-after species, the endemic Cliff Parakeet. Here we saw some of the birds we had seen the previous day and managed to add Ringed Warbling-finch and White-tipped Plantcutter. The most important bird we found in this area was Bolivian Earthcreeper. A little lower down the road and we saw Checkered Woodpecker and Black-capped Warbling-finch. We kept driving to look for Cliff Parakeet and not far away we found a big group of them just after having numerous views of Bolivian Blackbirds. It had been a very productive morning and we drove back to El Tambo to look for birds before lunch. Soon after arriving we saw Spot-backed Puffbird. We had lunch then some free time. We were ready again at 15:30 and explored a road near Monte Blanco. Here we saw Rufous-bellied Thrush, White-bellied Tyrannulet and Cliff Flycatcher. On the way back we tried for Scissor-tailed Nightjar and were lucky with an astonishing male displaying for us. What a great bird!

Day 6: Another early start, this time we headed to the Siberia Cloud forest with the final destination being Cochabamba. Our first stop was along the main road near Torrecillas. We were lucky enough to see Olive-crowned Crescent-chest feeding on the trail. Here we also saw Rufous-sided Warbling-finch. When we got to the Yungas, one of the common birds was Band-tailed Pigeon followed by Pearled Treerunner. Then we started a hike along a gravel road where three Andean Condors and some Swallow-tailed Kites gave us a nice show. We also saw Mountain Caracaras. We had a long way to go and a lot of ground to cover but we made several stops. The first one was when a Cinereous Harrier flew above the bus and the last one when we successfully tried for Rock Earthcreeper and Citron-headed Yellow-finch. The drive was very long but we arrive to Cochabamba around 19:30.

Day 7: This morning we visited the cloud forest of Tablas Monte. The first stop was by the entrance of a gravel road where we saw the endemic Grey-bellied Flowerpiercer, followed by Hooded Mountain-tanager. We also had wonderful views Gould's Inca, Violet-throated Starfrontlet and Trilling Tapaculo in the open. Just a little way down the road we saw the incredible Chestnut-bellied Mountain-tanager together with Bolivian Brush-finch. Further along the road we saw Bar-bellied Woodpecker and the very attractive Barred Fruiteater. After lunch we had one of the most exciting moments in our trip when a Rufous-faced Antpitta came into full view. Later in the day, good birding activity rewarded us with Light-crowned Spinetail follow by Ochre-faced Tody-flycatcher. We started our way back to Cochabamba intending to stop at higher elevation but with little success. We ended the day at the Corani Dam where we saw Ruddy Duck and many waterbirds.

Day 8: We went to a lower elevation than the previous day yet along the same road where a lot of exciting birds were waiting for us. The first one to welcome us was a pair of striking Torrent Ducks, followed by Blue-banded Toucanet. From the San Jose electrical power station we walked down along a dirt road for some 3 km to see Yungas Manakin, followed by Montane Foliage-gleaner and several tanager species. Some of us managed to see an electrifying male Crested Quetzal. Further down the road we had to tape lure a bit to see the elusive an endemic Yungas Tody-tyrant. Before lunch three Blue-naped Chlorophonias sat on a tree for some minutes to allow great views. After lunch we started our way back to Cochabamba to fix a minor problem in the bus. Leo took us to Laguna Alalay in Cochabamba where we managed to see several duck species, Many-colored Rush-tyrant and good views of Plumbeous Rail and Wren-like Rushbird. The day ended around 17:30.

Day 9: We went to Cerro Tunari Mountain to the highlands one hour away from Cochabamba. Here we managed to have really good views of Brown-backed Mockingbird, Bolivian Warbling-finch and Grey-hooded Parakeet

sitting on a cliff. Several hummingbirds were seen as they were feeding on some prominent flowers and including Giant Hummingbird and Red-tailed Comet. In addition to the colorful hummers, we saw Rusty-vented Canastero, Fulvous-headed Brush-finch and Rufous-bellied Saltator. Later in the day, we birded the *Polylepis* forest and admired a Tawny Tit-Spintail building a nest. The high elevation birding proved to be outstanding; there was a lot of bird activity on a wonderful sunny very inviting afternoon. Later on in the afternoon and along the *Polylepis* forest trail, we saw the most fantastic bird of the day, a Giant Conebill, followed by a couple of Cochabamba Mountain-finches. The finches were eating on the bare ground allowing outstanding great views. To finish the day, we found Bare-faced Ground-dove and then we drove back to Cochabamba at 18:00.

Day 10: We had a long drive from Cochabamba to Oruro. Driving along the breathtaking Altiplano with several stops along the way we managed to see many good birds for the area. Ornate Tinamou was briefly seen walking by; later on Gary helped us by flushing one allowing good flight views for those of us that missed it the first time. Other birds from the day were Common and Slender-billed Miner, a nesting pair of Streak-fronted Thornbirds and Rufous-bellied Saltator. We were surprised to find lizards near 4000 m above sea level. Before we arrived to Oruro we went to the Uru-Uru Lake to find it very dry. We saw Chilean Flamingos, lots of Puna Ibises and Mountain Parakeet. The most interesting birds on the lake were Puna Plover and Andean Avocet.

Day 11: The first light of the day had us going back to the lake in search for other flamingo species but once again we only found Chilean Flamingo and added Andean Goose and Grassland Yellow-finch to the list. We went back to the hotel and had breakfast and travelled to La Paz. The first stop was when a group of wild Vicuñas was very close to the road allowing good photos. Along the drive we saw Andean Lapwings along with a group of Mountain Caracaras, Spot-winged Pigeon and Short-billed Pipit. We arrived to La Paz in the afternoon allowing time to explore the downtown colonial area.

Day 12: We left La Paz very early in the morning heading to the famous “road of death” (Carretera de la muerte in Spanish) towards Coroico. The first stop was at La Cumbre, right at the continental divide where the birding was fantastic. We had a family of Grey-breasted Seedsnipe followed by Rufous-bellied Seedsnipe. We kept on driving toward the east and stopped near Pongo. Here we saw a Great Sapphire-wing, White-browed Conebill, Tawny Tit-spinetail and Black Siskin. At the entrance of Chuspipata we saw the pretty looking and endemic Black-throated Thistletail along with the more common Scaled Metaltail. We kept walking along the road to a bridge where we had fantastic views of Black-hooded Sunbeam and the gaudy and very much sought-after Hooded Mountain-toucan. Other birds from the Coroico road included Bolivian Tyrannulet, Band-tailed Fruiteater and Andean Guan. We arrived to the town of Coroico late in the afternoon.

Day 13: Due to very bad weather conditions we had to change our plans. We could not get to our birding destination, a place called “Chairo”. The rain from last night was heavy and there were some landslides blocking our way so we spent the morning near Coroico. We were able to find Versicolored Barbet, Upland Antshrike and Large-tailed Dove. Then we went back to the lodge, had lunch and started our way back to La Paz. The original plan was to stop on the way back but it rained for almost the entire afternoon. We only stopped near Pongo and after playback had a Puna Tapaculo displaying on a rock. Despite the bad weather we managed to see Streak-throated and Scribble-tailed Canastero as well as Mountain Viscacha and many Andean Gulls flying overhead. We arrived in La Paz a bit earlier than expected so people had a little time to explore the city.

Day 14: We headed towards the famous Lake Titicaca where our main target was the Titicaca Grebe. We succeeded in having good views of them several times. There were many other waterbirds including White-tufted Grebe. Then we headed towards Sorata. En route, we stopped by small lake to admire Giant Coot and Andean Goose along with a group of Grey breasted Seedsnipe. Later on in the day we found the ultra local and endemic Berlepsch’s Canastero, enjoying fantastic and close-up views. At around 10:00 we turned back and drove back to Lake Titicaca but not without stopping to look at Yellow-winged Blackbirds. Lunch was taken near the lake and afterwards, we did a little bit of culture studying and shopping for the remaining afternoon. We saw the weaving of the reeds to built reed-boats, sofas and other items and some cloth-weaving techniques. On the way back to La Paz, we saw a big group of flamingos far away in the distance and we rented two little boats and went to look for them but sadly only Chilean Flamingos were there. In the late afternoon we rescued a Short-winged Grebe that was trapped in some fishing net. We arrived back in La Paz at 18:00 and got ready for the trip extension.

Day 15: Today we started late and had breakfast at 08:00 with the flight from La Paz to Trinidad being at 10:55. Upon arrival in Trinidad we checked into the hotel before lunch. Trinidad was very hot and sunny and we planned to start birding only after the afternoon cooled down. In the afternoon we went to “Loma Suarez” 10 minutes away from the airport. Here we saw White-wedge Piculet, Plain Softtail and Plain-crowned Spinetail. We walked over a kilometer and birds were very active. We were able to find Black-tailed Trogon, Plain Tyrannulet and Barred Antshrike. We went back to the hotel and have dinner at 19:00.

Day 16: We left Trinidad at 05:30 heading to Estancia San Miguel located in the heart of the Beni’s seasonally flooded savannas some 100 km away towards the Brazilian border. We only drove for 40 minutes before dawn forced our first stop. Here we had several views of the common but handsome Red-crested Cardinal followed by Matogroso Antbird, Rufous Casiornis and many others. This was a lucky day for even when a rainstorm threatened to strike it never arrived and we were able to stop many times to see the numerous Jabiru, Southern Screamer, lots of herons, egrets and ducks. Some of the walks along the forest patches on the way rewarded us with good views of Toco Toucan, White Monjita and Yellow-chinned Spinetail. We arrive to San Miguel around 12:00 where before lunch; we walked the airstrip to find a couple of Whistling Herons. In the afternoon we took a trip to look for the very rare Blue-throated Macaw, the goal of our trip! Soon after we arrived we heard them calling and tried to track them down but as soon as we got to the place they were calling from they flew away. We followed them to an open place where we hit the jackpot as one of the birds turned around and flew extremely low in front of us allowing wonderful and lengthy views. We hoped for them to come back and waited for a while but were not able to locate them again. Everyone agreed that the views we had were hard to top. The bird was so close and the set up so perfect!! After this successful afternoon we went back to the lodge arriving at 19:00.

Day 17: The Blue-throated Macaws views from the previous days were so good that we decided to remain with that memory for life. Nothing could have improved the views we have had and decided to explore a different area and look for more and new birds. The trail we visited was on the way to a lake and called “La Brecha”. This path had many forest birds. Right at the entrance we manage to see White-throated Piping-guan, Striped Cuckoo. Golden-collared, Red-and-green and Scarlet Macaws were flying by at the same place! During the walk the birds were very active and the weather was good. Before we went back for lunch we had some exceptional and fantastic birds, worth mentioning including Razor-billed Curassow, Sunbittern, Orinoco Goose, Brazilian Teal and many other waterbirds. After lunch we walked the airstrip finding White-eyed Attila, Common Potoo and Nacunda Nighthawk. We went back to the Estancia at 19:00.

Day 18: During the morning we went back to the “La Brecha” trail but this time all the way to the Mamore River where the part of the group in the first car saw two Pale-winged Trumpeter walking across the road. We arrived at the river at 06:30 to see Pink River Dolphins and flyby Capped Herons. Along the trail we manage to see Band-tailed Manakin, Band-tailed Antbird and Undulated Tinamou before going back to the Estancia for lunch. After lunch we started our way back to Trinidad to catch our fly back to La Paz. Along the road we had time to look for some of the birds we missed on the way in. We added White-rumped and Grey Monjita. Once back in Trinidad and before our flight we went to Laguna Suarez to find Unicolored and Scarlet-headed Blackbird. We finished birding at 17:45 and had our timely flight back to La Paz for an overnight day.

Day 19: An early morning return flight via Miami arriving back in the UK next morning.

Day 20: Arrival back in the UK at the end of the tour.

Willy Pérez

Greater Rhea, *Rhea Americana* – Several juveniles and some adults were seen at Viru Viru airport, a few seen in San Miguel.

Undulated Tinamou, *Crypturellus undulatus* – One was seen by some in the forest close to the Mamore River.

Brown Tinamou, *Crypturellus obsoletus* – One was seen in the way to Los Volcanes.

Ornate Tinamou, *Nothoprocta ornata* – We saw one walking in the Puna near Oruro and later was flashed by Gary.

Red-winged Tinamou, *Rhynchotus rufescens* – A couple was seen at Viru Viru

Darwin's Nothura, *Nothura darwinii* – Seen few times along highland the road in the way from Cochabamba to Villa Tunari.

White-tufted Grebe, *Rollandia rolland-* Seen very nicely in Titicaca Lake.

Short-winged Grebe, *Rollandia microptera* – We saw many in Titicaca Lake, later on one was rescued from a fishing net when we went to look for Flamingos.

Silvery Grebe, *Podiceps occipitalis* – This lovely species was seen at La Cumbre and Titicaca.

Least Grebe, *Tachybaptus diminius* – Seen at Santa Cruz and Jardin Botanico.

Pied billed Grebe, *Podilymbus podiceps* – A pair seen at Jardin Botanico.

Neotropic Cormorant, *Phalacrocorax brasilianus* – Very common in the lowlands.

Blue-throated Piping-guan, *Pipile cumanensis grayi* – Two birds were seen at San Miguel, but in the list we checked it at White throated Piping-guan following the book birds of South America by Collins.

Razor-billed Curassow, *Mitu tuberosum* – A nice pair was seen at La Brecha in San Miguel.

Andean Guan, *Penelope montagnii* – Several along the Coroico Road.

Dusky legged Guan, *Penelope obscura-* Four of them seen at Los Negros in the way to el Tambo.

Speckled Chachalaca, *Ortalis guttata* – Seen in Coroico and Trinidad.

Southern Screamer, *Chauna torquata* – A common species seen in a daily basis in the lowland of the trip.

White-faced Whistling-duck, *Dendrocygna viduata* – Up to 18 seen close to the road near Estancia San Miguel.

Orinoco Goose, *Neochen jubata* – A nice group of 12 individuals was seen in a lake close to Mamore River near Estancia San Miguel, others in the Mamore river.

Andean Goose, *Chloephaga melanoptera-* Two pairs seen at Uru Uru Lake and Some near La Paz.

Muscovy Duck, *Cairina moschata* – A few were seen in separated days along the area of San Migel.

Torrent Duck, *Merganetta armata* – Male and female were seen in the way to San Jose power station and also at Cerro Tunari.

Crested Duck, *Anas specularioides* – Many seen in the highland lakes. Some found on the afternoon we reached Lake Uru Uru. Seen there much closer the following morning and finally seen extremely well at the Giant Coot lake along the road to Sorata.

Speckled Teal, *Anas flavirostris* – This charming bird was seen on numerous occasions around Cochabamba, Oruro and La Paz. Some books called this birds like Yellow-billed Teal, though this is an inadequate name as northern subspecies have bluish bills.

Yellow-billed Pintail, *Anas georgica* – Seen on the majority of days of the tour at wetlands around Cochabamba, Oruro and La Paz.

White-cheeked Pintail, *Anas bahamensis-* Seen at Alalay

Puna Teal, *Anas puna* – This handsome bird was seen many times around Cochabamba and Oruro perhaps most numerous at Titicaca.

Cinnamon Teal, *Anas cyanoptera* – At Alalay, Uru Uru and Titicaca. Very beautiful indeed.

Rosy-billed Pochard, *Netta peposaca* – We had many great looks at this wonderful bird at Alalay.

Ruddy Duck, *Oxyura ferruginea* – At Alalay, Uru Uru, La Cumbre and Titicaca.

Red Shoveler, *Anas platalea* – A pair seen at Alalay lake.

Brazilian Teal, *Amazonetta brasiliensis* – A nice group of 6 individuals was seen in a lake close to the Mamore River near Estancia san Miguel.

Anhinga, *Anhinga anhinga* – Only a couple seen in Mamore river.

Rufescent Tiger-heron, *Tigrisoma lineatum* – Several individuals were seen in the water sources at Trinidad and San Miguel.

Black-crowned Night-heron, *Nycticorax nycticorax* – One was seen in the Santa Cruz Botanical gardens and also a pair near San Miguel.

Cattle Egret, *Bubulcus ibis* – A very common bird not present only at Siberia,

Cocoi Heron, *Ardea cocoi* – Fairly common in water sources at Pirai River, Trinidad and San Miguel.

Great Egret, *Casmerodius albus* – Common bird along the lowlands .

Capped Heron, *Ptilerodius pileatus* -One was seen flying near Mamore river.

Snowy Egret, *Egretta thula* – A few were seen near Trinidad and several others at San Rafael.

Whistling Heron, *Syrigma sibilatrix* – A pair was seen in the San Miguel airport area.

Green Ibis, *Mesembrinibis cayennensis* – Some of them seen in La Brecha and also in Laguna Suarez.

Bare-faced Ibis, *Phimosus infuscatus* – A couple was seen in a lake close to Mamore River by Estancia San Miguel.

Plumbeous Ibis, *Theristicus caerulescens* – Up to 24 were seen in way from Trinidad to San Miguel.

White faced Ibis, *Phimosus infoscatus* – One was seen in the lake close to Mamore River.

Buff-necked Ibis, *Theristicus caudatus* – Up to 4 were in way from Trinidad to San Miguel and a single bird near Mamore River.

Puna Ibis, *Plegadis ridgwayi* – Very common in the highlands .

Roseate Spoonbill, *Ajaia ajaja* – Very common in the way from Trinidad to San Miguel area.

Maguari Stork, *Ciconia maguari* – Only half a dozen was seen in the way from Trinidad to San Miguel.

Jabiru mycteria, *Jabiru* – Numerous around Trinidad and the San Miguel area.

Wood Stork, *Mycteria americana* – Very numerous in the way from Trinidad to San Miguel,

Chilean Flamingo, *Phoenicopterus chilensis* – Few were seen at the Uru Uru lake and also Titicaca.

Turkey Vulture, *Cathartes aura* – Seen on a daily basis.

Lesser Yellow-headed Vulture, *Cathartes burrovianus* – Several seen in the way from Trinidad to San Miguel and couple more near San Miguel.

Black Vulture, *Coragyps atratus* – A few seen almost in a daily basis except in the way from Trinidad to San Miguel were extremely numerous (over a hundred).

Andean Condor, *Vultur gryphus* – Four seen at Los Volcanes and other two at Siberia flying very close.

King Vulture, *Sarcoramphus papa* – One seen at Los Volcanes and another one at San Rafael.

Osprey, *Pandion haliaetus* – One seen at the lake near Mamore river.

Grey headed Kite, *Leptodon cayanensis* – Two seen in different days near Mamore river.

Swallow-tailed Kite, *Elanoides forficatus* – This elegant bird was seen on Siberia and the Chapare area.

White-tailed Kite, *Elanus leucurus* – At least 3 seen in San Miguel.

Snail Kite, *Rostrhamus sociabilis* – Up to 18 sights from the flooded forest in the Trinidad and other areas along the way to San Miguel.

Plumbeous Kite, *Ictinia plumbea* – Two seen at Mamore river.

Cinereous Harrier, *Circus cinereus*- One seen in the way to Cochabamba from el Tambo and also at Uru Uru lake.

Plain-breasted Hawk, *Accipiter ventralis* – One was seen at San Rafael and also at the power station.

Great Black-hawk, *Buteogallus urubitinga* – A few were seen near Trinidad, from Trinidad to San Miguel and at San Miguel

Savanna Hawk, *Buteogallus meridionalis* – Up to a dozen in the way from Trinidad to San Miguel and a few others around San Miguel.

Black-collared Hawk, *Busarellus nigricollis* – Fairly common and small numbers in all water sources by forest in the lowlands of the trip.

Black-chested Buzzard-eagle, *Geranoaetus melanoleucus*- This imposing bird was seen circling over a roadside valley on the day we drove from El Tambo to Cochabamba and also at Los Volcanes.

Solitary Eagle, *Harpyhaliaetus solitarius* – This fantastic eagle was seen near the power station at Miguelito.

White rumped Hawk, *Buteo leucorrhous* – One seen at Mamore River.

White throated Hawk, *Buteo albigula* – One seen perch at Tablas Monte.

Short-tailed Hawk, *Buteo brachyurus* – A couple seen at Los Negros near Samaipata.

Variable Hawk, *Buteo polyosoma* – Seen on the Cerro Tunari, in the dry valleys between Cochabamba and Oruro and down the Chulumani road.

Roadside Hawk, *Buteo magnirostris* – Fairly common in small numbers in almost all the habitats.

Mountain Caracara, *Phalcoboenus megalopterus* – Seen on many days in the highlands almost exclusively black and white adults.

Southern Crested Caracara, *Caracara plancus* – A common bird specially in the lowlands area .

Yellow-headed Caracara, *Milvago chimachima* – Pairs were seen in a daily basis near in the visit to San Miguel.

American Kestrel, *Falco sparverius* – Small numbers in Santa Cruz, Trinidad, San Miguel and the Comarapa area.

Aplomado Falcon, *Falco femoralis* – We saw a pair of this species perched as we went to Sorata.

Bat Falcon, *Falco ruficularis* – One seen at Loma Suarez in Trinidad.

Hoatzin, *Opisthocornis hoazin* – Several seen at San Miguel.

Limpkin, *Aramus guarauna* – Small numbers in all water sources close to forest in Trinidad, San Miguel and Santa Cruz.

Pale winged Trumpeter, *Psophia leucoptera* – A pair crossing the trail near Mamore river.

Grey-necked Wood-rail, *Aramides cajanea* – Fairly common in the way from Trinidad to San Miguel and also in Mamore river.

Plumbeous Rail, *Rallus sanguinolentus* – Seen very close at Alalay and also at the Giant Coot lake.

Common Moorhen, *Gallinula chloropus* – Numerous at many wetland sites.

Purple Gallinule, *Porphyryla martinica* – I was the only one that was able to see one single bird in a marshy area in the Jardin Botanico.

Giant Coot, *Fulica gigantea*- Isn't this a great bird? Both adults and juveniles were seen superbly at the lake on the road to Sorata.

Slate-coloured Coot, *Fulica ardesiaca*- numerous at Alalay, Uru Uru and Titicaca.

Sunbittern, *Eurypyga helias* – A pair was seen near the Mamore river close to San Miguel.

Red legged Seriema, *Cariama cristata* – A pair seen at the Viru Viru airport.

Wattled Jacana, *Jacana jacana* – Very common along the trip.

White-backed Stilt, *Himantopus melanurus* – Many of them at Uru Uru lake and up to a dozen were strangely only seen at lake near the Mamore river near Estancia San Miguel.

Southern Lapwing, *Vanellus chilensis* – A fairly common bird in all water sources then as we reached the foothills and Andes slopes we did not see them again.

Andean Avocet, *Recurvirostra andina* – Great views of this beautiful bird at Uru Uru.

Andean Lapwing, *Vanellus resplendens* – Around Uru Uru and Titicaca we saw many of these striking, vociferous birds.

Collared Plover, *Charadrius collaris* – One was seen at San Rafael and few were seen near Trinidad.

Puna Plover, *Charadrius alticola* – Many seen at Uru Uru.

Greater Yellowlegs, *Tringa melanoleuca* – Slightly less common than lesser but still seen frequently at wetlands around Cochabamba and Oruro, also some at San Miguel.

Lesser Yellowlegs, *Tringa flavipes* – A dozen was seen in a lake at Uru Uru and near the Mamore river near San Miguel.

Sanderling, *Calidris alba* – Some seen at Uru Uru lake.

Hudsonian Godwit, *Limosa haemastica* – A pair seen at Mamore River.

Baird's Sandpiper, *Calidris bairdii* – Seen at Uru Uru.

Solitary Sandpiper, *Tringa solitaria* – One was seen at the Mamore River.

Spotted Sandpiper, *Actitis macularia* – Singles were seen near Trinidad, and in two different days in the lake close to Mamore River.

Least Sandpiper, *Calidris minutilla* – Half a dozen were seen at the Uru Uru Lake.

White-rumped Sandpiper, *Calidris fuscicollis* – Some seen at Uru Uru and also in a lake near the Mamore river near San Miguel.

Pectoral Sandpiper, *Calidris melanotos* – One was seen at the lake near Mamore river.

Wilson's Phalarope, *Phalaropus tricolor* – Seen at Uru Uru Lake.

Grey-breasted Seedsnipe, *Thinocorus orbignyianus* – We had the most wonderful views of one family very close on the snow above La Cumbre.

Rufous bellied Seedsnipe, *Attagus gayi* – A pair seen at la Cumbre, what a bird!

Andean Gull, *Larus serranus* – Seen every day at every wetland site in the highlands.

Yellow-billed Tern, *Sterna superciliaris* – Several pairs were seen at the Mamore river and San Miguel

Large-billed Tern, *Phaetusa simplex* – Several were seen in the waters systems in San Miguel also one at Santa Cruz.

Black Skimmer, *Rynchops niger* – A family group was seen in the way from Trinidad to San Miguel also few at the Mamore river.

Spot-winged Pigeon, *Columba maculosa* – We saw this bulky pigeon as we approached La Paz from Oruro.

Band-tailed Pigeon, *Columba fasciata* – Seen many times in flight over cloud-forest sites in Cochabamba and La Paz.

Picazuro Pigeon, *Columba picazuro* – A couple was seen at the Jardín Botánico in Santa Cruz and 6 more were seen in the way from Trinidad to San Miguel.

Pale-vented Pigeon, *Columba cayennensis* – A fairly common bird throughout the trip from Trinidad to San Miguel.

Plumbeous Pigeon, *Columba plumbea* – Several were seen at Refugio Los Volcanes, later on others places to.

Eared Dove, *Zenaida auriculata* – Abundant almost throughout the tour. We only missed this species on the two days we spent in the Yungas of La Paz.

Plain breasted Ground-dove, *Columbina minuta* – A pair seen at Jardín Botánico.

Ruddy Ground-dove, *Columbina talpacoti* – A very common bird, dozens each day in Trinidad and San Miguel.

Picui Ground-dove, *Columbina picui* – A very common bird, dozens at day in Santa Cruz, Trinidad and San Miguel and fewer in the Comarapa Torrecillas area.

Bare-faced Ground-dove, *Metriopelia ceciliae* – We saw this attractive, cinnamon-spotted bird at Cerro Tunari.

Black-winged Ground-dove, *Metriopelia melanoptera* – This handsome bird was seen in the way to Cochabamba and between Oruro and La Paz.

White-tipped Dove, *Leptotila verreauxi* – Fairly common near Trinidad and San Miguel and a few near Comarapa, Torrecillas and Siberia.

Large tailed Dove, *Leptotila megalura* – A couple was seen in Coroico .

Blue-and-yellow Macaw, *Ara ararauna* – Several were seen near San Miguel and Mamore river.

Blue-throated Macaw, *Ara glaucogularis* – The first afternoon in San Miguel we had a fantastic look of a single bird flying very close. We saw all the features of this beautiful bird.

Scarlet Macaw, *Ara macao* – Only one pair were seen flying over in the San Miguel area.

Red-and-green Macaw, *Ara chloroptera* – A few were seen at San Miguel.

Military Macaw, *Ara militaris* – We had a group of 40 flying every day at Los Volcanes.

Red-fronted Macaw, *Ara rubrogenys* – A big group was seen eating at Los Negros near Comarapa.

Golden-collared Macaw, *Ara auricollis* – Only 4 were seen near forest by the Mamore river in the San Miguel area.

Chestnut-fronted Macaw, *Ara severa* – Several dozens were seen daily in the San Miguel area.

Red-bellied Macaw, *Ara manilata* – Only few flying over the Botanical Garden in Santa Cruz area.

Blue-crowned Parakeet, *Aratinga acuticauda* – Very common around the dry valleys.

Mitred Parakeet, *Aratinga mitrata* – Up to hundreds every day in Refugio Los Volcanes and at the lowlands.

White-eyed Parakeet, *Aratinga leucophthalmus* – Seen at Santa Cruz and Trinidad.

Dusky-headed Parakeet, *Aratinga weddellii* – Many were seen along forest by the Mamore river near Estancia San Miguel.

Peach-fronted Parakeet, *Aratinga aurea* – Few seen at Laguna Suarez in Trinidad.

Green-cheeked Parakeet, *Pyrrhura molinae* – Seen at Los Volcanes.

Cliff Parakeet, *Myiopsitta luchi* – At 30 seen on a tree in the way to Saipina.

Grey-hooded Parakeet, *Psilopsiagon aymara* – We saw them in the way from El Tambo to Cochabamba and many times during the day we spent on the Cerro Tunari.

Mountain Parakeet, *Psilopsiagon aurifrons* – Two groups were seen at Uru Uru Lake.

Blue-winged Parrotlet, *Forpus xanthopterygius* – A few were seen in the Botanical gardens and up to 6 were seen near San Miguel forest by the Mamore river.

Cobalt-winged Parakeet, *Brotogeris cyanopectus* – Several seen at San Miguel.

Yellow-chevroned Parakeet, *Brotogeris chiriri* – Small numbers, never more than a dozen at a giving time, were seen near Santa Cruz, Trinidad and San Miguel.

Blue-headed Parrot, *Pionus menstruus* – A couple seen at Los Volcanes and few were seen at San Miguel.

Orange winged Parrot, *Amazona amazonica* – Few seen at San Miguel.

Scaly-headed Parrot, *Pionus maximiliani* – One was seen in Trinidad and others in the forest by the Mamore River near San Miguel.

Blue -fronted Amazon, *Amazona aestiva* – Very numerous in Refugio Los Volcanes.

Scaly-naped Amazon, *Amazona mercenaria* – A pair was seen flying over the power station at Miguelito.

Hoatzin, *Opisthocomus hoazin* – One was seen along forest by the Mamore river and dozens were seen in San Miguel.

Squirrel Cuckoo, *Piaya cayana* – A few were seen in San Miguel , also at Refugio Los Volcanes.

Smooth-billed Ani, *Crotophaga ani* – A common bird in the lowlands throughout the trip.

Guira Cuckoo, *Guira guira* – Very common in the open country near Santa Cruz and also in the agricultural area near Comarapa and San Miguel.

Striped Cuckoo, *Tapera naevia* – One seen very well at San Miguel.

Burrowing Owl, *Athene cunicularia* – Up to six were seen at Viru Viru airport near Santa Cruz and also near Titicaca.

Common Potoo, *Nyctibius griseus* – One seen at San Miguel.

Nacunda Nighthawk, *Podager nacunda* – A dozen was seen at dusk flying close to Estancia San Miguel.

Spot-tailed Nightjar, *Caprimulgus maculicaudus* – One was seen in La Estancia San Miguel.

Scissor tailed Nightjar, *Hydropsalis torquata* – A nice male seen at El Tambo.

Chestnut-collared Swift, *Streptoprocne rutula* – Several were seen flying overhead in Miguelito and Coroico.

Ashy-tailed Swift, *Chaetura andrei meridionalis* – Some seen well at Santa Cruz.

Andean Swift, *Aeronautes andecolus* – Up to eight were seen flying overhead when visiting the area close to Torrecillas and also at Cerro Tunari.

Great billed Hermit, *Phaethornis malaris* – One single bird was seen close to the lodge at Los Volcanes.

Gray breasted Sabrewing, *Campylopterus largipennis* – Seen at Los Volcanes.

Sparkling Violet-ear, *Colibri coruscans* – This ever-beautiful hummer was seen at Los Volcanes and Los Negros.

White vented Violet-ear, *Colibri cerirostris* – One seen perch at Samaipata during lunchtime.

Green Violet-ear, *Colibri thalassinus* – Two were seen in the power station in Miguelito.

Black-throated Mango, *Anthracothorax nigricollis* – A few of them around San Miguel area.

Violet-throated Starfrontlet, *Coeligena violifer* – Up to 4 were seen in the way to Tablas Monte

Glittering-bellied Emerald, *Chlorostilbon aureoventris* – A pair was seen in the transfer day from Los Volcanes to Comarapa and much more common in the Comarapa Tambo area.

Blue tailed Emerald, *Chlorostilbon mellisugus* – A male seen at Coroico.

Fork-tailed Woodnymph, *Thalurania furcata* – 2 females were seen inside forest close to the Mamore river near San Miguel and a male was seen inside forest at Los Volcanes.

White-chinned Sapphire, *Hylocharis cyanus* – One seen at San Miguel.

Golden-tailed Sapphire, *Chrysuronia oenone* – Seen well at Los Volcanes.

White-tailed Goldenthrout, *Polytmus guainumbi* – A couple were seen in the garden of San Miguel.

White-bellied Hummingbird, *Amazilia chionogaster* – A fairly common bird in the Tambo Comarapa area and a few in Siberia.

Black-hooded Sunbeam, *Aglaeactis Pamela* – There are no words for this stunning Bolivian endemic. It is, quite simply, breathtaking. The usual site near the Chulumani road was great.

Andean Hillstar, *Oreotrochilus estella* – A male seen by some on the road to Sorata and later a female seen by everyone.

Gould's Inca, *Coeligena inca* – This wonderfully orange, emerald and white species was seen at Tablas Monte road.

Great Sapphirewing, *Pterophanes cyanopterus* – Another in a long list of wonderfully beautiful hummingbirds. We saw a resplendent male along the Chulumani road.

Giant Hummingbird, *Patagona gigas* – A real crowd-pleaser. This magnificent bird was seen well on the Cerro Tunari.

Amethyst-throated Sunangel, *Heliangelus amethysticollis* – We saw this attractive species at the top of the Chapare in the way to Tablas Monte and also at Coroico.

Red-tailed Comet, *Sappho sparganura* – Some fantastic males were seen at Cerro Tunari and the lower Siberia.

Glittering-throated Emerald, *Amazilia fimbriata* – Some were seen in the gardens of Estancia San Miguel.

Tyrian Metaltail, *Metallura tyrianthina* – Two were seen at the Siberia.

Scaled Metaltail, *Metallura aeneocauda* – Several seen in different days at Siberia , Tablas Monte and Chulumani.

Long-tailed Sylph, *Agelaiocercus kingi* – Seen at Siberia.

Amethyst Woodstar, *Colliphlox amethystine* – One male seen at Los Volcanes.

White-bellied Woodstar, *Chaetocercus mulsant* – A male seen at Cotoico.

Crested Quetzal, *Pharomachrus antisianus* – Seen by several people at Estacion Miguelito.

Blue-crowned Trogon, *Trogon curucui* – A couple seen at Jardin Botanico in Santa Cruz and others were seen in the San Miguel area.

Black-tailed Trogon, *Trogon melanurus* – Only seen inside forest in Trinidad and the Mamore river.

Masked Trogon, *Trogon personatus* – Seen in Tablas Monte and on the way to Miguelito.

Ringed Kingfisher, *Ceryle torquata* – Common in the water sources in Trinidad and San Miguel..

Amazon Kingfisher, *Chloroceryle amazona* – Common in the water sources In Santa Cruz also in Trinidad and San Miguel.

Blue-crowned Motmot, *Momotus momota* – Seen at Los Volcanoes.

Rufous-tailed Jacamar, *Galbula ruficauda* – A common bird, especially in San Miguel.

White-eared Puffbird, *Nystalus chacuru* – A pair seen in the way out from Los Volcanes.

Spot-backed Puffbird, *Nystalus maculatus* – Several were seen in the Tambo Comarapa area.

Black-fronted Nunbird, *Monasa nigrifrons* – Common inside forest near San Miguel.

Chestnut-eared Aracari, *Pteroglossus castanotis* – Fairly common at San Miguel and Jardin Botanico.

Versicoloured Barbet, *Eubucco versicolor* – We had great views of males and females of this psychedelically and lovely bird in the Coroico area.

Blue-banded Toucanet, *Aulacorhynchus derbianus* – We had good views of this bird at the entrance road to the San José power station.

Chestnut- tipped Toucanet, *Aulacorhynchus derbianus* – A pair seen at Los Volcanes.

Hooded Mountain-toucan, *Andigena cucullata* – We worked very hard for this one. The toucan sat still for a few seconds for all to admire before flying away. We got good photos of him.

Chestnut-eared Aracari, *Pteroglossus castanotis* – We saw this species several times on the trip.

Channel-billed Toucan, *Ramphastos vitellinus* – We saw this bird at Los Volcanes.

Toco Toucan, *Ramphastos toco* – Very common in the way from Trinidad to San Miguel and a couple more in San Miguel.

White-wedged Piculet, *Picumnus albosquamatus* – One was seen near Trinidad and Estancia San Miguel .

Ocellated Piculet, *Picumnus dorbignyanus* – Seen nicely at Siberia.

White Woodpecker, *Melanerpes candidus* – One seen at Viru Viru airport

Yellow-tufted Woodpecker, *Melanerpes cruentatus* – Three were seen only in the Botanical gardens of Santa Cruz and also San Miguel.

White-fronted Woodpecker, *Melanerpes cactorum* – Several were seen in the dry deciduous scrub near Comarapa and Tambo, the most common woodpecker of its habitat.

Golden-olive Woodpecker, *Piculus rubiginosus* – We saw two or three individuals of this handsome species in the lower Chapare and also Coroico.

Crimson-mantled Woodpecker, *Piculus rivolii* – This wonderfully beautiful bird was seen well in the way back from Tablas Monte to Cochabamba.

Bar-bellied Woodpecker, *Veniliornis nigriceps* – Seen well at Tablas Monte.

Striped Woodpecker, *Picoides lignarius* – Fantastic views in the way to Cochabamba from Cerro Tunari.

Checkered Woodpecker, *Picoides mixtus* – Seen along the road in the way to Saipina.

Spot-breasted Woodpecker, *Colaptes punctigula* – Good sightings at Jardin Botanico.

Little Woodpecker, *Veniliornis passerinus* – One was seen near Trinidad and also seen near San Miguel.

Dot-fronted Woodpecker, *Veniliornis frontalis* – A male was seen in the way from Trinidad to San Miguel.

Golden-green Woodpecker, *Piculus chrysochloros* – A female was seen in the Jardin Botanico.

Green-barred Woodpecker, *Colaptes melanochloros* – One single bird was seen in the way to Cerro Tunari.

Andean Flicker, *Colaptes rupicola* – One of the most charismatic species of the puna. We saw them between Cochabamba and Oruro and La Paz, and near Titicaca. The one we saw perched in a tree on the road to Sorata had clearly not read the books – Andean Flickers.

Campo Flicker, *Colaptes campestris* – A few were seen the first day at Viru-Viru airport and many others at Estancia San Miguel.

Pale-crested Woodpecker, *Celex lugubris* – Two were seen along the trail to Mamore River.

Lineated Woodpecker, *Dryocopus lineatus* – One was seen in the road near Coroico.

Crimson-crested Woodpecker, *Campephilus melanoleucos* – We saw this bird two times, one flying near the power station and also along the trail to Mamore river.

Olivaceous Woodcreeper, *Sittasomus griseicapillus* – A pair was seen near Estancia San Miguel and later on several others were seen in Refugio Los Volcanes.

Straight-billed Woodcreeper, *Xiphorhynchus picus* – Singles were seen in two consecutive days in the Jardin Botanico and also in the forest near Estancia San Miguel.

Buff-throated Woodcreeper, *Xiphorhynchus guttatus* – One was seen in the Jardin Botanico of Santa Cruz and others were seen inside forest near San Miguel.

Narrow-billed Woodcreeper, *Lepidocolaptes angustirostris* – A pair was seen at the Botanical gardens near Santa Cruz and others were seen in the San Miguel area.

Montane Woodcreeper, *Lepidocolaptes lacrymiger* – One single bird was seen in the Siberia Cloud forest and also at Chulumani.

Common Miner, *Geositta cunicularia* – First seen along the road from Cochabamba to Oruro. Later on we saw this bird again in the upper ridges of the Sorata road.

Slender-billed Miner, *Geositta tenuirostris* – This lovely bird was seen near a little town in the way to Oruro.

Puna Miner, *Geositta punensis* – We had good views at La Cumbre.

Rock Earthcreeper, *Upucerthia andaecola* – This is one of the prettiest members of the genus and we saw it in the way from El Tambo to Cochabamba.

Bolivian Earthcreeper, *Upucerthia harterti* – We saw this Bolivian endemic species along the road near San Rafael.

Bar-winged Cinclodes, *Cinclodes fuscus* – Very common everywhere where there was open ground or water in the extreme highlands.

White-winged Cinclodes, *Cinclodes atacamensis* – Seen several times along the highlands.

Rufous Hornero, *Furnarius rufus* – One of the most common species in the Santa Cruz, Trinidad, San Miguel area and also in the Tambo Comarapa area.

Wren-like Rushbird, *Phleocryptes melanops* – Seen and heard snapping at Alalay, Uru Uru and Titicaca.

Brown-capped Tit-spinetail, *Leptasthenura fuliginiceps* – Seen in the way from El Tambo to Cochabamba. Definitely tit-like.

Tawny Tit-spinetail, *Leptasthenura yanacensis* – We saw this rare and beautiful species in the way to Cerro Tunari and at the Valle de Choquetanga above La Paz.

Black-throated Thistletail, *Schizoeaca harterti* – We saw a pair of this Bolivian endemic near the entrance to Chulumani.

Chotoy Spinetail, *Schoeniophylax phryganophila* – One was seen up close in the Viru Viru airport.

Azara's Spinetail, *Synallaxis azarae* – A couple was nicely seen in the forest at Tablas Monte.

Plain-crowned Spinetail, *Synallaxis gujanensis* – At least four were seen near Trinidad.

Light-crowned Spinetail, *Cranioleuca albiceps* – One single bird was seen, with great views in the way to Tablas Monte.

Stripe-crowned Spinetail, *Cranioleuca pyrrhophia* – A fairly common species in the Tambo Comarapa area that we saw several times.

Yellow-chinned Spinetail, *Certhiaxis cinnamomea* – One was nicely seen in the way from Trinidad to San Miguel and also at Mamore river.

Cinereous-breasted Spinetail, *Synallaxis hypospodia* – A pair was seen the day when we travel from Trinidad to San Miguel.

Plain Softtail, *Thripophaga fusciceps* – A fairly common bird inside forest in the San Miguel area, we saw as many as 12 in one day.

Rusty-vented Canastero, *Asthenes dorbignyi* – Up to four were seen in the second growth near the town of Torrecillas.

Streak-throated Canastero, *Asthenes humilis* – We had tremendous looks at this rock-and-tussock loving species by a patch of boulders high up near La Cumbre.

Cordilleran Canastero, *Asthenes modesta* – One seen at Cerro Tunari.

Scribble-tailed Canastero, *Asthenes maculicauda* – We were treated to good looks at this lovely bird, as we walked up the Valle de Choquetanga in La Paz.

Berlepsch's Canastero, *Asthenes berelepschi* – Seen along the road to Sorata.

Rufous-fronted Thornbird, *Phacellodomus rufifrons* – Also known as Common Thornbird, a pair was seen inside the Botanical Gardens of Santa Cruz.

Greater Thornbird, *Phacellodomus ruber* – Several seen at Viru Viru and also in the way from Trinidad to Estancia San Miguel.

Streak-fronted Thornbird, *Phacellodomus striaticeps* – Several pairs were seen in different days in the Tambo Comarapa area.

Pearled Treerunner, *Margarornis squamiger* – Many were seen the days we visited Cloud Forest.

Rufous Cacholote, *Pseudoseisura cristata* – A fairly common bird especially near Trinidad and San Miguel areas.

Buff-fronted Foliage-gleaner, *Philydor rufus* – One was seen in Los Volcanes.

Montane Foliage-gleaner, *Anabacerthia striaticollis* – We had good looks at this attractive, spectacled species in the power station trail.

Streaked Xenops, *Xenops rutilans* – One single bird was seen inside forest at Los Volcanes.

Great Antshrike, *Taraba major* – Several were seen in the Trinidad San Miguel area.

Barred Antshrike, *Thamnophilus doliatus* – One male was seen in the way from Trinidad to San Miguel .

Bolivian Slaty-antshrike, *Thamnophilus sticturus* – A nice pair was seen in Jardin Botanico and also along the forest close to San Miguel.

Amazonian Antshrike, *Thamnophilus amazonicus* – One was seen in the forest close to Mamore river.

Upland Antshrike, *Thamnophilus aroyae* – A female seen very close near Coroico.

Variable Antshrike, *Thamnophilus caerulescens* – A pair were seen in the Siberia area and near Torrecillas.

Plain Antwren, *Dysithamnus mentalis* – Some were seen inside forest at Refugio Los Volcanes.

Black-capped Antwren, *Herpsilochmus atricapillus* – Some were seen in Refugio Los Volcanes.

Mato Grosso Antbird, *Cercomacra melanaria* – Up to three were seen in the San Miguel area.

Band-tailed Antbird, *Hypocnemoides maculicauda* – A nice male was tape-lured in on the trail to Mamore river.

Black-throated Antbird, *Myrmeciza atrothorax* – We had good views of this little bird along the trail to Mamore river.

Rufous-faced Antpitta, *Grallaria erythrotis* – We had fantastic views of this great bird on the road to Tablas Monte.

Trilling Tapaculo, *Scytalopus parvirostris* – Many birds were singing in the Siberia Forest and we finally were able to have pretty decent looks on a bird after play back in the way to Tablas Monte.

Bolivian Tapaculo, *Scytalopus bolivianus* – Seen by some people at Los Volcanes.

Puna Tapaculo, *Scytalopus simonsi* – Seen very well by everyone, singing from top of a rock, at the Valle de Choquetanga above La Paz.

Olive-crowned Crescent-chest, *Melanopareia maximiliani* – A nice one was seen on the trail near Torrecillas, fantastic views.

Rough legged Tyrannulet, *Phyllomyias burmeisteri* – A pair seen very well in Los Volcanes .

Yellow-bellied Elaenia, *Elaenia flavogaster* – It was seen at Jardin Botanico in Santa Cruz.

White-crested Elaenia, *Elaenia albiceps* – Some were seen in the road to Tablas Monte.

Small-billed Elaenia, *Elaenia parvirostris* – A pair was seen in San Rafael area.

Sierran Elaenia, *Elaenia pallatangae* – Up to 10 individuals were seen along the way to Tablas Monte.

Southern Beardless-tyrannulet, *Camptostoma obsoletum* – A fairly common species that was seen several times in the Tambo area.

White-banded Tyrannulet, *Mecocerculus stictopterus* – Up to three individuals were seen following mixed species flocks in the Chapare forest.

White-throated Tyrannulet, *Mecocerculus leucophrys* – A very common bird in the Siberia forest where it was seen along and with mixed species flocks also at Chulumani.

Yellow-billed Tit-tyrant, *Anairetes flavirostris* – A nice pair was seen in the second growth forest just above Torrecillas.

Tufted Tit-tyrant, *Anairetes parulus* – This charming creature was first seen on the way to Siberia. Subsequently it was seen again on the Cerro Tunari and in several sites around La Paz.

Torrent Tyrannulet, *Serpophaga cinerea* – Nicely seen when we stopped by a river in the upper Chapare to look for Torrent Ducks.

White-bellied Tyrannulet, *Serpophaga munda* – It was seen few times in the Tambo dry forest.

Mouse-coloured Tyrannulet, *Phaeomyias murina* – Several were seen in Comarapa and Tambo.

Yellow Tyrannulet, *Capsiempis flaveolus* – A pair was seen along forest edge near San Miguel in forest road heading to the Mamore river.

Greater Wagtail-tyrant, *Stigmatura budytoides* – A fairly common bird in the dry deciduous scrub around Comarapa and Tambo where it was seen several times.

Bolivian Tyrannulet, *Zimmerius bolivianus* – We saw this very plain-green flycatcher in the upper Coroico road.

Mottle-cheeked Tyrannulet, *Phylloscartes ventralis* – Seen very well at Los Volcanes.

Streak-necked Flycatcher, *Mionectes striaticollis* – This very attractive slate-, moss- and lemon-coloured flycatcher was seen on the road to Coroico.

Ochre bellied Flycatcher, *Mionectes oleagineus* – Seen near Coroico.

Southern Scrub-flycatcher, *Sublegatus modestus* – One single bird was seen in El Tambo area.

Plain Tyrannulet, *Inezia inornata* – It was a very common bird in the Trinidad San Miguel area.

Many-coloured Rush-tyrant, *Tachuris rubrigastra* – A glorious eye-full of a bird. We had great luck with this species, seeing it twice at Alalay and on the shore of Titicaca.

Yungas Tody-tyrant, *Hemitriccus spodiops* – We manage to see this bird near the San José power station.

Pearly-vented Tody-tyrant, *Hemitriccus margaritaceiventer* – A nice pair was seen near Samaipata and Los Negros, in two different days.

Ochre-faced Tody-flycatcher, *Todirostrum plumbeiceps* – A nice one was seen in the way to Tablas Monte.

Yellow-olive Flycatcher, *Tolmomyias sulphurescens* – A few were seen inside forest in Los Volcanes.

Bran-coloured Flycatcher, *Myiophobus fasciatus* – A pair was seen in the way from Trinidad to San Miguel.

Cinnamon Flycatcher, *Pyrrhomyias cinnamomea* – A pair was seen in Los Volcanes and also in Tablas Monte Forest.

Cliff Flycatcher, *Hirundinea ferruginea* – A pair was seen in the open terrain near the Tambo mission school and also San Rafaell.

Black Phoebe, *Sayornis nigricans* – A few were seen in the way from Santa Cruz to Los Volcanes and also along a stream inside forest in Los Volcanes.

Vermilion Flycatcher, *Pyrocephalus rubinus* – A common bird around Santa Cruz, Tambo and Trinidad.

Andean Negrito, *Lessonia oreas* – We had good views of this delightful bird at Uru Uru and also at Titicaca.

Hudson's Black-tyrant, *Knipolegus hudsoni* – We saw one male in the way to the Mamore River.

Andean Tyrant, *Knipolegus signatus* – One single male was seen in Los Volcanes.

White-winged Black-tyrant, *Knipolegus aterrimus* – Up to four birds (male and females) were seen.

Rufous-breasted Chat-tyrant, *Ochthoeca rufipectoralis* – A pair was seen in the canopy of the Tablas Monte Cloud forest.

Black-backed Water-tyrant, *Fluvicola albiventer* – A pair in Trinidad-San Miguel area.

Streak throated Bush-tyrant, *Myiotheretes striaticollis* – Very common at Los Volcanes.

Grey Monjita, *Xolmis cinerea* – First seen flying away from the vehicles but later we saw one perched.

White Monjita, *Xolmis irupero* – One seen along the road from Trinidad to San Miguel.

White-rumped Monjita, *Xolmis velata* – Up to three were seen in the road from Trinidad to San Miguel.

Yellow-browed Tyrant, *Satrapa icterophrys* – Seen very nicely at lower altitudes on the Cerro Tunari.

Black billed Shrike-tyrant, *Agriornis montanus* – One seen close to the road from Cochabamba to Oruro.

Taczanowski's Ground-tyrant, *Muscisaxicola griseus* – Seen very well in the way from Oruro to La Paz.

Puna Ground-tyrant, *Muscisaxicola juninensis* – Seen very nicely in the way from Cochabamba to Oruro.

Rufous-naped Ground-tyrant, *Muscisaxicola rufivertex* – We had nice and good looks at this distinctive, clean-plumaged species on the shore of Uru Uru in Oruro and also at La Cumbre.

Ochre napped Ground-tyrant, *Muscisaxicola flavinucha* – Seen at Cerro Tunari and near Titicaca.

Cattle Tyrant, *Machetornis rixosus* – One of the most common birds of the trip, It was not present only in the Tambo Comarapa area and in the Siberia forest.

Piratic Flycatcher, *Legatus leucophaeus* – A few were seen and heard at Coroico.

Rusty-margined Flycatcher, *Myiozetetes cayanensis* – A few were seen and heard in the Trinidad-San Miguel area.

Social Flycatcher, *Myiozetetes similis* – A pair was in the San Miguel area.

Great Kiskadee, *Pitangus sulphuratus* – A very common species that was present almost throughout all the trip except in Los Volcanes and the Siberia cloud forest.

Streaked Flycatcher, *Myiodynastes maculatus* – Few were seen in at Jardin Botanico and also San Miguel.

Boat-billed Flycatcher, *Megarhynchus pitangua* – Fairly common bird in San Miguel.

Variegated Flycatcher, *Empidonomus varius* – Only two seen in separated days in the Refugio Los Volcanes forest.

Crowned Slaty-flycatcher, *Empidonomus aurantioatrocristatus* – One single bird was seen in the way from Los Volcanes to Comarapa.

Tropical Kingbird, *Tyrannus melancholicus* – Recorded almost every day.

Fork-tailed Flycatcher, *Tyrannus savanna* – Very common the first day at the Viru Viru airport, a few also in the San Miguel area.

Rufous Casiornis, *Casiornis rufa* – One was seen in the way from Trinidad San Miguel area.

Short-crested Flycatcher, *Myiarchus ferox* – A few were seen in San Miguel area.

Swainson's Flycatcher, *Myiarchus swainsoni* – Singles were seen in two different days in the San Miguel area.

Pale-edged Flycatcher, *Myiarchus cephalotes* – Some seen at Los Volcanes.

Brown-crested Flycatcher, *Myiarchus tyrannulus* – One was seen near Laguna Suarez in Trinidad.

White-eyed Attila, *Attila bolivianus* – We had a fantastic view of this very handsome bird at the airstrip in the Estancia San Miguel.

Black-tailed Tityra, *Tityra cayana* – Few seen along the trail to Mamore River.

Masked Tityra, *Tityra semifasciata* – One was seen along the road near the power station.

Black crowned Tityra, *Tityrainquisitor* – A pair seen at Jardin Botanico.

Green-backed Becard, *Pachyramphus viridis* – A pair was seen in Los Volcanes.

White-tipped Plantcutter, *Phytotoma rutila* – A few were seen in the Comarapa and Tambo dray forest.

Red-crested Cotinga, *Ampelion rubrocrystatus* – A pair seen at Siberia cloud forest.

Barred Fruiteater, *Pipreola arcuata* – A pair seen very close at Tablas Monte road.

Yungas Manakin, *Chiroxiphia boliviana* – We manage to see one male in the power station trail.

Band-tailed Manakin, *Pipra fasciicauda* – A handsome male was seen inside forest in the San Miguel area.

Rufous-browed Peppershrike, *Cyclarhis gujanensis* – Small numbers were seen in several days but only in lowland forest.

Purplish Jay, *Cyanocorax cyanomelas* – A fairly common bird that was seen in forested areas throughout the trip.

Plush-crested Jay, *Cyanocorax chrysops* – A fairly common bird that was seen in forested areas throughout the trip.

Green Jay, *Cyanocorax yncas* . A pair seen at the San José power station.

White-rumped Swallow, *Tachycineta leucorrhoa* – One bird was seen at the Mamore River.

Brown-chested Martin, *Phaeoprogne tapera* – Very common in San Miguel.

Grey-breasted Martin, *Progne chalybea* – Some seen in San Miguel.

Blue-and-white Swallow, *Notiochelidon cyanoleuca* – Common throughout the trip.

Tawny-headed Swallow, *Alopochelidon fucata* – Many good views near San Rafael.

Southern Rough-winged Swallow, *Stelgidopteryx ruficollis* – Several seen at Mamore river.

Barn Swallow, *Hirundo rustica* – A couple of adults were seen flying over the bridge at San Rafael and also at San Miguel.

Andean Swallow, *Hirundo andecola* – Many seen on all the highlands of the tour – at Uru Uru, La Cumbre, at the Valle de Choquetanga and over Titicaca.

Brown-bellied Swallow, *Notiochelidon murina* – Common at high altitude sites above La Paz.

Short-billed Pipit, *Anthus furcatus* – One seen from Oruro to La Paz.

White-capped Dipper, *Cinclus leucocephalus* – Seen a couple of times in the way to Miguelito and also at Cerro Tunari.

Black capped Donacobius, *Donacobius atricapilla* – Seen in San Miguel .

Thrush-like Wren, *Campylorhynchus turdinus* – Up to four were seen in the botanical gardens a few others in the San Miguel area.

Moustached Wren, *Thryothorus genibarbis* – We saw a nice pair in Los Volcanes.

Fawn-breasted Wren, *Thryothorus guarayanus* – We saw a few in the Jardin Botanico area .

Southern House Wren, *Troglodytes musculus* – A few were seen in Santa Cruz, Trinidad and other inhabited areas in Comarapa, Tambo.

Mountain Wren, *Troglodytes solstitialis* – A pair was seen in forest edge at the Siberia Cloud Forest and Miguelito.

Chalk-browed Mockingbird, *Mimus saturninus* – Seen in the way from Cochabamba to Oruro and also at San Miguel.

Brown-backed Mockingbird, *Mimus dorsalis* – A pair seen nicely at Cerro Tunari.

Masked Gnatcatcher, *Poliophtila dumicola* – A very common bird in the Tambo-Comarapa area were they occurred by dozens in the area and also at San Miguel.

Chiguanco Thrush, *Turdus chiguanco* – A few were seen near the town of San Rafael area.

Great Thrush, *Turdus fuscater* – A very common bird on the forest above Torrecillas and Siberia and other high altitude places.

Glossy-black Thrush, *Turdus serranus* – It was seen at Tablas Monte.

Hauxwell's Thrush, *Turdus hauxwelli* – One seen at Estancia San Miguel.

Andean Slaty-thrush, *Turdus nigriceps* – Up to three were seen in Los Volcanes.

Rufous-bellied Thrush, *Turdus rufiventris* – A few were seen in the Tambo area.

Creamy-bellied Thrush, *Turdus amaurochalinus* – It was definitely the most commonly seen bird in our trip.

Black-billed Thrush, *Turdus ignobilis* – Seen at Los Volcanes.

White-necked Thrush, *Turdus albicollis* – One was seen in Coroico .

Purple-throated Euphonia, *Euphonia chlorotica* – Small number occurred in many different habitats, this is by far the most common Euphonia in the Bolivian lowlands.

Orange-bellied Euphonia, *Euphonia xanthogaster* – A pair was seen in the Los Volcanes forest.

Blue-naped Chlorophonia, *Chlorophonia cyanea* – A pair of these delightful creatures proved to be a great highlight of the day we spent at Miguelito.

Thick-billed Siskin, *Carduelis crassirostris* – We saw a group of these lovely birds by the road from Oruro to La Paz.

Hooded Siskin, *Carduelis magellanica* – Seen frequently, especially around Cochabamba.

Olivaceous Siskin, *Carduelis olivacea* – Seen at the power station at Miguelito.

Black Siskin, *Carduelis atrata* – This wonderful Altiplano bird was first seen as we drove from La Paz to La Cumbre. We later saw them several times around Titicaca.

Tropical Parula, *Parula pitayumi* – Seen at Los Volcanes and Trinidad.

Masked Yellowthroat, *Geothlypis aequinoctialis* – Seen at Laguna Suarez in Trinidad.

Slate-throated Whitestart, *Myioborus miniatus* – These lovely birds were seen in Los Volcanes.

Brown-capped Whitestart, *Myioborus brunniceps* – Seen on the area of San Rafael and El Tambo .

Spectacled Whitestart, *Myioborus melanocephalus* – Very common in upper-level cloud-forest.

Pale-legged Warbler, *Basileuterus signatus* – We saw this bird in the entrance to Los Volcanes and on the road to Tablas Monte.

Golden-crowned Warbler, *Basileuterus culicivorus* – Seen at Coroico and San Miguel.

Black-faced Tanager, *Schistochlamys melanopis* – A female was seen at Viru Viru.

Magpie Tanager, *Cissopis leverianus* – Seen at Miguelito power station.

Grass-green Tanager, *Chlorornis riefferii* – Four of them seen at Coroico road.

Three-striped Hemispingus, *Hemispingus trifasciatus* – Seen with a flock at the entrance to Chulumani.

Hooded Tanager, *Nemosia pileata* – A female was seen in the forest in the San Miguel area.

Rust-and-yellow Tanager, *Thlypsopsis ruficeps* – Also a very pretty bird, it was typically common at all cloud forest sites.

Orange-headed Tanager, *Thlypopsis sordida* – A pair was seen in Los Volcanes forest and also close to Mamore river in the San Miguel area.

Black-goggled Tanager, *Trichothraupis melanops* – Up to 15 individuals were seen only in Los Volcanes forest were this species is fairly common.

Silver-beaked Tanager, *Ramphocelus carbo* – A very common bird in the second growth forest in all the humid lowlands we visited.

Fawn breasted Tanager, *Pipraeidea melanonota* – Seen at Los Volcanes.

Hooded Mountain-tanager, *Buthraupis Montana* – This wonderfully beautiful and big tanager was seen well at the top of the road to Tablas Monte.

Scarlet-bellied Mountain-tanager, *Anisognathus igniventris* – Another entirely amazing bird. We saw it along the road to Tablas Monte and also in Chulumani.

Blue-winged Mountain-tanager, *Anisognathus flavinucha* – Half a dozen were seen in our visit to the Siberia cloud forest and also in Coroico

Chestnut-bellied Mountain-tanager, *Delothraupis castaneiventris* – We saw this bird in the way to Tablas Monte.

Sayaca Tanager, *Thraupis sayaca* – A common bird that was seen almost in a daily basis by dozens.

Palm Tanager, *Thraupis palmarum* – Small numbers were seen in Los Volcanes , Coroico and San Miguel.

Blue-capped Tanager, *Thraupis cyanocephala* – Some were seen in the lower part of the Tablas Monte forest and Coroico.

Blue-and-yellow Tanager, *Thraupis bonariensis* – Several birds were seen in the dry forest around Comarapa and Tambo.

Saffron-crowned Tanager, *Tangara xanthocephala* – Half a dozen were seen inside forest in Refugio Los Volcanes.

Blue-browed Tanager, *Tangara cyanotis* – Few people was able to see this bird in Los Volcanes forest.

Blue-necked Tanager, *Tangara cyanicillis* – Seen at Miguelito power station.

Blue-and-black Tanager, *Tangara vassorii* – Few seen at Coroico road.

Swallow-tanager, *Tersina viridis* – Up to five were seen in the Coroico area.

Blue Dacnis, *Dacnis cayana* – A female was seen in Coroico.

Green Honeycreeper, *Chlorophanes spiza* – One was seen at Coroico.

Guira Tanager, *Hemithraupis guira* – A pair was seen feeding in a fig tree inside forest at Refugio Los Volcanes.

Common Bush-tanager, *Chlorospingus ophthalmicus* – A dozen was seen in the Siberia cloud forest and also at Tablas Monte and Coroico.

Hepatic Tanager, *Piranga flava* – A male was seen flying away in the dry forest close to San Rafael.

White-winged Tanager, *Piranga leucoptera* – Two males and a female were seen on the gardens of Refugio Los Volcanes at the forest edge.

Plushcap, *Catamblyrhynchus diadema* – This fantastic bird was seen only by some people in the entrance to Chulumani.

Bananaquit, *Coereba flaveola* – Very few were seen, unusual for such a common bird.

Cinereous Conebill, *Conirostrum cinereum* – We saw this subtly attractive little bird on the road to Chulumani.

Blue-backed Conebill, *Conirostrum sitticolor* – Seen very well in the upper Tablas Monte.

White-browed Conebill, *Conirostrum ferrugineiventre* – This delightful tree line species was seen well at Pongo.

Giant Conebill, *Oreomanes fraseri* – We saw this fabled bird in Polylepsis forest at mid elevation on the Cerro Tunari.

Rusty Flowerpiercer, *Diglossa sittoides* – A pair seen at Los Volcanes.

Black-throated Flowerpiercer, *Diglossa mistacalis* – Seen at Pongo and also in the way to Sorata.

Grey-bellied Flowerpiercer, *Diglossa carbonaria* – Many were seen just above the entrance to Tablas Monte and tree more in the way to Chulumani.

Masked Flowerpiercer, *Diglossa cyanea* – Up to four were seen in forest canopy in the Tablas Monte area.

Rufous-collared Sparrow, *Zonotrichia capensis* – A common species in the Tambo-Comarapa-Siberia area.

Red-crested Finch, *Coryphospingus cucullatus* – A very common bird along the road from Los Volcanes to Comarapa and also at San Miguel.

Grey-crested Finch, *Lophospingus griseocristatus* – Seen by the dozen in the Comarapa-Tambo area.

Black-hooded Sierra-finch, *Phrygilus atriceps* – We saw this very handsome bird on the Cerro Tunari and also along the drive from Cochabamba to Oruro.

Plumbeous Sierra-finch, *Phrygilus unicolor* – Seen beautifully at several sites near La Cumbre.

Ash-breasted Sierra-finch, *Phrygilus plebejus* – Groups and flocks of this species were seen on six days, around Cochabamba, Oruro, and La Paz.

White-winged Diuca-finch, *Diuca speculifera* – Seen at Cerro Tunari and also In La Cumbre.

Bolivian Warbling-finch, *Poospiza boliviana* – Some were seen in the way to Cerro Tunari .

Rufous-sided Warbling-finch, *Poospiza hypochondria* – We saw this bird several times in the second growth forest just above the small town of Torrecillas and also at Cerro Tunari.

Cochabamba Mountain-finch, *Poospiza garleppi* – Five of them seen eating on the ground, only in the way to Cerro Tunari.

Ringed Warbling-finch, *Poospiza torquata* – Up to a dozen in the San Rafael area and much more numerous in the Tambo dry forest.

Black-capped Warbling-finch, *Poospiza melanoleuca* – Very numerous in the way from Los Volcanes to Comarapa and also

in the Tambo area.

Saffron Finch, *Sicalis flaveola* – A common bird from the deciduous and semi-deciduous forest.

Bright-rumped Yellow-finch, *Sicalis uropygialis* – This very charismatic inhabitant of the Puna was first seen in Cerro Tunari.

Citron-headed Yellow-finch, *Sicalis luteocephala* -This bird was seen between El Tambo and Cochabamba.

Greenish Yellow-finch, *Sicalis olivascens* – Subtle but also lovely. This bird was seen well by all on the Cerro Tunari area.

Puna Yellow-finch, *Sicalis lutea* – Seen at the top of Cerro Tunari.

Grassland Yellow-finch, *Sicalis luteola* – One was seen at Uru Uru Lake.

Wedge-tailed Grass-finch, *Emberizoides herbicola* – A pair was seen in the grassy habitat near Viru Viru airport.

Great Pampa-finch, *Embernagra platensis* – A few were seen at El Tambo and also at Cerro Tunari.

Rusty-collared Seedeater, *Sporophila collaris* – A pair was seen in the way from Trinidad to San Miguel and then a male in the San Miguel grassland.

Double-collared Seedeater, *Sporophila caerulescens* – A pair was seen in the dry deciduous forest at Viru Viru and also around Tambo.

White-bellied Seedeater, *Sporophila leucoptera* – Seen on our visit to Trinidad and San Miguel.

Chestnut-bellied Seed-finch, *Oryzoborus angolensis* – Seen nicely in the way to Coroico.

Great-billed Seed-finch, *Oryzoborus maximiliani* – One male was seen in the grassland habitat near Trinidad.

Band-tailed Seedeater, *Catamenia analis* – Three were seen in the highest area in Siberia and Cerro Tunari.

Plain-coloured Seedeater, *Catamenia inornata* – We saw this unassuming bird at the top of the Cerro Tunari and around Titicaca.

Red-crested Cardinal, *Paroaria coronata* – A pair was seen in the Botanical gardens of Santa Cruz but very common in the Trinidad San Miguel area.

Red-capped Cardinal, *Paroaria gularis* – Seen in the same habitats than the above species but much less common.

Saffron-billed Sparrow, *Arremon flavirostris* – A pair seen at San Rafael.

Bolivian Brush-finch, *Atlapetes rufinucha* – A very common species in the Siberia cloud forest and at Tablas Monte.

Fulvous-headed Brush-finch, *Atlapetes fulviceps* – A pair of this handsome bird was seen in the lower area of Cerro Tunari.

Black-backed Grosbeak, *Pheucticus aureoventris* – A few in the Santa Cruz area and almost in a daily basis, in small numbers in Los Volcanes, Comarapa Tambo and Siberia.

Grayish Saltator, *Saltator coerulescens* – Fairly common in the Trinidad San Miguel .

Buff throated Saltator, *Saltator maximus* – Seen in Coroico.

Rufous bellied Saltator, *Saltator rufiventris* – A pair seen at Cerro Tunari and also in the way from Cochabamba to Oruro.

Golden-billed Saltator, *Saltator aurantirostris* – Fairly common and seen by the dozen in the Comarapa Tambo Siberia areas.

Ultramarine Grosbeak, *Cyanocopsa brissonii* – Four were seen in the Los Negros area and a dozen in the Comarapa dry forest and a few more in the Tambo area.

Unicolored Blackbird, *Agelaius cyanopus* – Fairly common in wet grasslands of several lakes in the way fro Trinidad to San Miguel.

Yellow-winged Blackbird, *Chrysosomus thilius* – We had many great looks at this beautiful bird in wetlands around Titicaca lake.

Bay-winged Cowbird, *Molothrus badius* – A very common species in the San Miguel area and also but less common in the Tambo-Comarapa dry forest.

Giant Cowbird, *Scaphidura oryzivora* – Up to a dozen were seen in Miguelito area.

Shiny Cowbird, *Molothrus bonariensis* – A few were seen in Trinidad and San Miguel, later on also in the Tambo-Comarapa area.

Solitary Black Cacique, *Cacicus solitarius* – Three were seen in the way from Trinidad to San Miguel and also in San Miguel.

Mountain Cacique, *Cacicus chrysonatus* – Seen two times at Tablas Monte and Chulumani road.

Yellow-rumped Cacique, *Cacicus cela* – A fairly common species in Trinidad and San Miguel.

Troupial *Icterus icterus* – Small numbers were seen in Trinidad, San Miguel.

Epaulet Oriole, *Icterus cayanensis* – Up to four were seen in the way from Trinidad to San Miguel and also at San Rafael.

Velvet-fronted Grackle, *Lamprosar tanagrinus* – They were extremely common in the road heading to Mamore River from San Miguel.

Scarlet-headed Blackbird, *Amblyramphus holoseriseus* – Seen the last day at Laguna Suarez in Trinidad.

Bolivian Blackbird, *Oreopsar bolivianus* – We saw this Bolivian endemic bird in numbers on Cerro Tunari and again in a grove of Eucalyptus as we drove on to Oruro.

Chopi Blackbird, *Gnorimopsar chopi* – Common in the Santa Cruz, Trinidad and San Miguel area.

Crested Oropendola, *Psarocolius decumanus* – A fairly common species in Santa Cruz forest, San Miguel and Los Volcanes.

Dusky-green Oropendola, *Psarocolius atrovirens* – Up to eight were seen in Miguelito and also Coroico.

Russet-backed Oropendola, *Psarocolius angustifrons* – Few seen at Los Volcanes.

INTRODUCED SPECIES

Rock Dove, *Columba livea*

House Sparrow, *Passer domesticus*

TOTAL BIRDS SEEN : 499 Species

Other wildlife encountered.

Capibara	Hydrochaeris hydrochaeris
Brown-throated Three-toed Sloth	Bradypus variegates
Squirrel Monkey	Samiris sciureus bolivienses
White Sagu	Callithrix argentata
Wild Cavy	Cavia sp. / Galea sp
Chacoan Fox	Pseudalopex gymnosercus
Vicuna	Vicugna vicugna
Mountain Viscacha	Legidium viscacia
Black Howler Monkey	Alouatta caraya
Brown Capuchin	Cebus apaella
South American Coati	Nasua nasua
Southern Amazon Red Squirrel	Sciurus spadiceus
Crab-eating Fox	Cerdocyon thous
Pink River Dolphin	Inia geofrensis bolivianus
Yacare Black Caiman	Melanosuchus niger
Green Iguana	Iguana iguana